

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	network and ((manag\$6 with resource\$1) same (xML near3 document near3 defin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 16:31
L2	347	network and (manag\$6 with resource\$1) and (xML near3 document near3 defin\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 16:32
L3	12	network and (manag\$6 with resource\$1) and (xML near3 document near3 defin\$5) and (property near page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 16:52
L4	10	network and (manag\$6 with resource\$1) and (xML near3 document near3 defin\$5) and (property near page) and (property near sheet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 16:33
L5	7	((property near page) and (property near sheet)).clm.	US-PGPUB	OR	ON	2006/11/09 16:52

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |**Search Results**[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "'(property page' and 'property sheet'&lt;in&gt;metadata)'"

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key



Indicates full text access

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"property page" and "property sheet"

Search

[Advanced Search](#)  
[Preferences](#)

The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Web**

Results 1 - 10 of about **62,700** for **"property page"** and **"property sheet"**. (0.50 seconds)

### Visual C++ 6 Unleashed > Creating a Property Sheet

You should bear in mind, however, that the final size of the **property sheet** will be based on the largest **property page** it contains. ...

[www.sampublishing.com/library/content.asp?b=Visual\\_C\\_PlusPlus&seqNum=77](#) - 39k -

[Cached](#) - [Similar pages](#)

### Visual C++ 6 Unleashed > Responding to Property Sheet Messages

After the **property sheet** has been displayed, the first message that is sent to the initial **property page** is the WM\_INITDIALOG message. ...

[www.sampublishing.com/library/content.asp?b=Visual\\_C\\_PlusPlus&seqNum=78](#) - 35k -

[Cached](#) - [Similar pages](#)

[ [More results from www.sampublishing.com](#) ]

### The Code Project - Free Source Code and Tutorials

A scrollable **property page** that resizes the **property page** instead of the **property sheet**.

VC7, VC6, XP, W2K, Win9X, NT4, MFC ...

[www.codeproject.com/property/](#) - 31k - [Cached](#) - [Similar pages](#)

### CodeGuru: Property Sheet

**Property Sheet Inside Property Page** Rating: Victor M. Grinenko - 12/11/1999 Enables the Embedding of a **Property Sheet** within a **Property Page** ...

[www.codeguru.com/cpp/controls/propertysheet/](#) - 72k - Nov 8, 2006 -

[Cached](#) - [Similar pages](#)

### Visual C++ 6 Unleashed > Customizing the Standard Property Sheet

You'll probably want to disable some of the buttons at various stages, and display a Finish button on the last **property page**. The **property sheet's** ...

[www.informit.com/library/content.asp?b=Visual\\_C\\_PlusPlus&seqNum=79](#) - 46k -

[Cached](#) - [Similar pages](#)

### How-To Add Property Pages

A collection of property pages comprises a **property sheet**. Each **property page** typically contains window controls for setting a group of related properties.

[windowssdk.msdn.microsoft.com/en-us/library/ms692760.aspx](#) - 13k -

[Cached](#) - [Similar pages](#)

### Extending a Primary Snap-in's Property Sheet

An extension snap-in can extend the **property sheet** of a primary snap-in's node type ... method to add each **property page** to the MMC-provided **property sheet**. ...

[windowssdk.msdn.microsoft.com/en-us/library/ms694791.aspx](#) - 14k -

[Cached](#) - [Similar pages](#)

### MFC Prof-UIS Tour: Resizable property sheet and property page

Professional user interface solutions for MFC and .NET desktop applications. Feature-rich GUI classes and components for C++, C# and VB.NET.

[www.prof-uis.com/FeatureTour.aspx?view=tour\\_resizable\\_property\\_sheet\\_pp](#) - 36k -

[Cached](#) - [Similar pages](#)

### Amazon.com: "advanced property sheet": Key Phrase page

However, this sets the demo up for the more advanced **property sheet** and **property page** programming tasks that I'll cover in the next section. ... " ...  
[www.amazon.com/phrase/advanced-property-sheet](http://www.amazon.com/phrase/advanced-property-sheet) - 65k - [Cached](#) - [Similar pages](#)

### Shell+ Examples: Property Sheet

This component controls the creation of **property sheet** tabs. ... This example demonstrates how custom **property page** could be added to simple file. ...  
[www.shellplus.com/examples/property-sheet-example.html](http://www.shellplus.com/examples/property-sheet-example.html) - 24k - [Cached](#) - [Similar pages](#)

Result Page:    1   2   3   4   5   6   7   8   9   10    **Next**

Free! Speed up the web. [Download the Google Web Accelerator.](#)

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



Find:

Documents

Citations

Searching for **property page and property sheet**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. Order: relevance to query.

[Techniques for Reducing Consistency-Related.. - Carter, Bennett.. \(1993\) \(Correct\) \(59 citations\)](#)  
shared address space is divided in virtual memory **pages**. The local memory of each processor is used as a  
[www.cs.utah.edu/~retrac/papers/tocs95.ps.Z](http://www.cs.utah.edu/~retrac/papers/tocs95.ps.Z)

[An Argument for Simple COMA - Saulsbury, Wilkinson, Carter, Landin \(1995\) \(Correct\) \(46 citations\)](#)  
cannot be in a higher level cache either. This **property** reduces the overhead of **page** replacement. 5  
software layer manages cache space allocation at a **page**-granularity -similarly to distributed virtual  
[www.cs.utah.edu/projects/avalanche/hpca95.ps.Z](http://www.cs.utah.edu/projects/avalanche/hpca95.ps.Z)

[The Measurement of Textual Coherence with Latent Semantic.. - Foltz, Kintsch, Landauer \(1998\) \(Correct\) \(11 citations\)](#)  
of the word frequency. 4 Because of the nested **property** of words, sentences and larger segments and the  
[lsa.colorado.edu/papers/dp2.foltz.ps](http://lsa.colorado.edu/papers/dp2.foltz.ps)

[Nozomi - A Fast, Memory-Efficient Stack Decoder For Lvcscr - Schuster \(1996\) \(Correct\)](#)  
[www.aist-nara.ac.jp/IS/Shikano-lab/staff/1996/mike-s/papers/icslp98.ps.gz](http://www.aist-nara.ac.jp/IS/Shikano-lab/staff/1996/mike-s/papers/icslp98.ps.gz)

[Human Gait Classification Based on Hidden Markov Models - Meyer \(1997\) \(Correct\)](#)  
International Conference on Computer Vision (ICCV) **pages** 618-623, Boston, June 1995. IEEE Computer  
[www5.informatik.uni-erlangen.de/TeX/Literatur/ps-dir/1997/Meyer97:HGC.ps.gz](http://www5.informatik.uni-erlangen.de/TeX/Literatur/ps-dir/1997/Meyer97:HGC.ps.gz)

[Radio on Demand - Reimann, Rüffler \(Correct\)](#)  
of our project is to obtain from our media **page** [WP]2 Introduction Designing multimedia  
is not automated. It is bound to notes on a **sheet** of paper. InfoRadio-on-Demand is a service which  
group of developers. In the design phase the form **sheets** were applied. The documentation of the system  
[www.prz.tu-berlin.de/docs/Publications/TUB-PRZ-W-1200.ps.gz](http://www.prz.tu-berlin.de/docs/Publications/TUB-PRZ-W-1200.ps.gz)

[Circulant preconditioners from B-splines - Chan, Tso, Sun \(1997\) \(Correct\) \(2 citations\)](#)  
[ftp.math.cuhk.edu.hk/report/97-19.ps.Z](http://ftp.math.cuhk.edu.hk/report/97-19.ps.Z)

[Copyright Protection for Electronic Publishing.. - Choudhury.. \(1994\) \(Correct\) \(16 citations\)](#)  
if the threat to the publisher's intellectual **property** is no greater than it is now. In 4 Submitted  
might be viewed as a scroll rather than distinct **pages** or with larger fonts on a video terminal.  
with timing dependencies, or staff notation for **sheet** music. Coombs et al. refer to this format as  
[gaia.cs.umass.edu/pub/Chou9505:Copyright.ps.gz](http://gaia.cs.umass.edu/pub/Chou9505:Copyright.ps.gz)

[Riesz Composition Operators - Bourdon, Shapiro \(1997\) \(Correct\)](#)  
us to conjecture that the "no-twisted-sectors" **property** introduced by Shapiro, Smith, and Stegenga in  
equals  $j' \ 0 \ i)j$  (see e.g. 2, x298-300)6, **page** 51] or [16, **page** 57] for the full story)The  
[nyjm.albany.edu:8000/PacJ/1997/Bourdon-Shapiro.ps](http://nyjm.albany.edu:8000/PacJ/1997/Bourdon-Shapiro.ps)

[Dynamic Data Mining: Exploring Large Rule Spaces by Sampling - Brin, Page \(1998\) \(Correct\) \(2 citations\)](#)  
is guided by a heuristic called the Heavy Edge **Property**. The system incorporates user feedback by  
Rule Spaces by Sampling Sergey Brin and Lawrence **Page** Department of Computer Science Stanford  
[www-db.stanford.edu/~sergey/ddm.ps](http://www-db.stanford.edu/~sergey/ddm.ps)

[Profile-Driven Instruction Level Parallel Scheduling with.. - Chekuri Dept \(1996\) \(Correct\) \(11 citations\)](#)  
the profile information and has the useful **property** that scheduling with respect to rank is provably  
CA 94305 R. Johnson Hewlett Packard Labs 1501 **Page** Mill Rd Palo Alto, CA 94304 R. Motwani Dept. of  
[theory.stanford.edu/~chekuri/postscript/micro96.ps.gz](http://theory.stanford.edu/~chekuri/postscript/micro96.ps.gz)

Wait-free Parallel Algorithms for the Union-Find Problem - Anderson, Woll (1994) (Correct) (33 citations)  
to the data structure problem have the wait-free **property**, meaning that each thread continues to make subject to additional delays such as interrupts and **page** faults. The user's view of this is that he has a  
128.95.4.112/homes/anderson/papers/uf.ps

Eliminating Useless Messages in Write-Update Protocols .. - Bianchini, LeBlanc.. (1994) (Correct) (3 citations)  
cache misses when the new value is needed. This **property** is particularly helpful when many processors (which reduce the cost of writes) or may use **page**-based coherence [Bisiani and Ravishankar, 1990 over-relaxation of the temperature of a metal **sheet** represented by two 384 \Theta 384 matrices. Table  
ftp.cs.rochester.edu/pub/papers/systems/94.tr539.Eliminating\_useless\_messages\_in\_write\_update\_protocols.ps.2

Are "Disks in the Air" Just Pie in the Sky? - Zdonik (1994) (Correct) (11 citations)  
Many new networked applications have the **property** that the communication channel between the (i.e. in its memory or disk) it obtains the **page** from the BD (if possible) thereby avoiding the  
www-ccs.cs.umass.edu/mobile/papers/os/zdonik.ps

Modeling versus Accuracy in EEG and MEG Data - Mosher, Leahy, Huang, Spencer (Correct)  
at each sensor, as we defined in [1] The key **property** of this metric is that it directly reflects  
1997 (NFSI97) Graz, Austria Sep 25-28, 1997 **Page** 1 of 4 Los Alamos Technical Report No.  
sipi.usc.edu/pub/leahy/papers/NFSI97.ps.Z

Scheduling Access To Temporal Data In Real-Time Databases - Xiong, Sivasankaran.. (1997) (Correct) (3 citations)  
Database Systems: Issues and Applications, **pages** 167-192. Kluwer Academic Publishers, 1997.  
www-ccs.cs.umass.edu/~sim/rtdb-chapter96.ps

From Vedic Science to Vedanta - Kak (1994) (Correct)  
gate.ee.lsu.edu/pub/kak/ved.ps

The ARANEUS Web-Base Management System - Mecca, Atzeni, Masci, Merialdo.. (1998) (Correct) (35 citations)  
a hypertext and graphs are used to store data and **pages**. Some aspects of our work are also similar to  
www.difa.unibas.it/Araneus/publications/sigmod98.ps.gz

Adding Flexibility to a Remote Memory Pager - Evangelos Markatos (1995) (Correct)  
Adding Flexibility to a Remote Memory **Pager** Evangelos P. Markatos George Dramitinos Computer  
www.ics.forth.gr/arch-vlsi/OS/papers/1995.iwoos.ps.gz

Searching for Optimal Polygon - Application to the Pentagon Case - Dureisseix (1997) (Correct)  
simpler construction, figure 19, while using the **property**:  $\cos 20^\circ = A$ . Steps 1 and 2: folding the  
Exact constructions ffl Quoted from [Kasahara 89] **page** 253, figure 6. h A 1 1 1 5 -1 =  
www.rug.nl/rugcis/rc/ftp/origami/articles/polye.ps

First 20 documents Next 20

Try your query at: Google (CiteSeer) Google (Web) Yahoo! MSN CSB DBLP

CiteSeer.IST - Copyright Penn State and NEC

Yahoo! My Yahoo! Mail Welcome, Guest [Sign In]

Search Home Help

**YAHOO!** SEARCH

Web | Images | Video | Audio | Directory | Local | News | Shopping

"property page" and "property sheet"

Answers Search Services | Advanced Search Preferences

**Search Results**

1 - 10 of about 27,300 for "property page" and "property sheet" - 0.31 sec. (About this page)

1. **CodeGuru: Property Sheet Inside Property Page**

Enables the Embedding of a **Property Sheet** within a **Property Page** By Victor M. Grinenko. ...  
Override OnInitDialog() for configure **property page** and start it Create ...  
www.codeguru.com/Cpp/controls/**propertysheet**/article.php/c595 - 67k - [Cached](#) - [More from this site](#)

2. **CodeGuru: Property Sheet**

Enables the Embedding of a **Property Sheet** within a **Property Page** ... Modifying **property sheet** templates on Win95. Add a Font **Property Page**. Rating: none ...  
www.codeguru.com/cpp/controls/**propertysheet** - 74k - [Cached](#) - [More from this site](#)

3. **Visual C++ 6 Unleashed > Customizing the Standard Property Sheet**

... get to the **property sheet** object from a **property page** and access SetWizardButtons ...  
first **property page** without the header, with the **property sheet** background ...  
samspublishing.com/library/content.asp?b=Visual\_C\_PlusPlus&seqNum=79 - 45k - [Cached](#) - [More from this site](#)

4. **Property Sheets**

A **property sheet** is a window that allows the user to view and edit the properties of ... A **property page** can contain a nested dialog box. ...  
msdn.microsoft.com/library/en-us/shellcc/platform/commctls/... - 39k - [Cached](#) - [More from this site](#)

5. **Property page calling a property sheet - GIDForums**

**Property page** calling a **property sheet** MS Visual C++ / MFC Forum ... Re: **Property page** calling a **property sheet**. The **Property Sheets** A and B are called as below: ...  
www.gidforums.com/t-8129.html - [More from this site](#)

6. **Visual C++ 6 Unleashed > Creating a Property Sheet**

... each **property page** you want to include in your **property sheet**. ... the sample **property sheet** is constructed, two **property page** objects are instantiated and added. ...  
samspublishing.com/library/content.asp?b=Visual\_C\_PlusPlus&seqNum=77 - 39k - [Cached](#) - [More from this site](#)

7. **BUG: MFC-WinCE Property Page with a Registered ActiveX Control Disappears from the Property Sheet**

... is placed on the first page, the **property sheet** appears for a brief moment, and then ...  
**Property Page** with a Registered ActiveX Control Disappears from the ...  
support.microsoft.com/kb/q243457 - [More from this site](#)

8. **Using Property Sheets in Your Application (Visual C++ Concepts)**

To use a **property sheet** in your application, complete the following steps: Create a dialog template resource for each **property page**.  
msdn.microsoft.com/library/en-us/vccore/html/...?frame=true - 16k - [Cached](#) - [More from this site](#)

9. **Property Sheets and Property Pages**

The pages are grouped and nested by an object called a **property sheet**. ... add an image control to the Circular **property page** and set its Picture to Circular. ...  
www.functionx.com/bcb/controls/pagecontrol.htm - 21k - [Cached](#) - [More from this site](#)

10. **FunctionX - Visual C++ - Property Sheet**

This makes the **property sheet** and its **property page(s)** ready for to use.... create it when invoking the **property sheet** and add the **property page(s)** as needed. ...  
functionx.com/visualc/articles/propsheet1.htm - 33k - [Cached](#) - [More from this site](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

"property page" and "property sheet"

**Search**



Yahoo! Answers: [Search questions and answers](#)

Copyright © 2006 Yahoo! Inc. All rights reserved. [Privacy Policy](#) - [Terms of Service](#) - [Copyright/IP Policy](#) - [Submit Your Site](#)